



**Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006**

E-mail : explosives@explosives.gov.in
Phone/Fax No : 0712 -2510248, Fax-2510577

Approval No : A/P/HQ/TN/104/6080 (P523616)

Dated : 03/12/2021

To,

**M/s. EATON ELECTRICAL SYSTEMS Ltd,
Kingsway South, Westgate, Aldridge, West Midlands
WS9 8FS
UK**

Sub : Approval of Increased Safety, Flame Proof, Others Type Electrical Equipments under Petroleum Rules 2002. under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. **OIN925282** dated **17/11/2021** on the subject.

The following Ex electrical equipment(s) manufactured by you according to **EN 60079-0 : 2012/A11 : 2013, EN 60079-1 : 2014, EN 60079-31 : 2014, EN 60079-7: 2015+A1: 2018,** standards and covered under **Intertek Italia S.p.A.** Test reports mentioned below is/are approved for use in **Zone 1, Zone 2** of Gas **IIC** hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

| Sr. No | Description | Safety Protection | Equipment reference Number | Test Agency | | | Drawing no |
|--------|-----------------------------|-------------------|----------------------------|------------------------|------------------|------------------|------------|
| | | | | Name | Certificate No. | Certificate Date | |
| 1 | Reducer Type BB M12 to M120 | Ex eb IIC Gb | P523616/1 | Intertek Italia S.p.A. | ITS16ATEX101336X | 01/09/2020 | |
| 2 | Reducer Type BB M12 to M120 | Ex db IIC Gb | P523616/2 | Intertek Italia S.p.A. | ITS16ATEX101336X | 01/09/2020 | |
| 3 | Adaptor Type AB M12 to M120 | Ex eb IIC Gb | P523616/3 | Intertek Italia S.p.A. | ITS16ATEX101336X | 01/09/2020 | |
| 4 | Adaptor Type AJ M16 to M75 | Ex eb IIC Gb | P523616/4 | Intertek Italia S.p.A. | ITS16ATEX101336X | 01/09/2020 | |
| 5 | Reducer Type BJ M16 to M75 | Ex eb IIC Gb | P523616/5 | Intertek Italia S.p.A. | ITS16ATEX101336X | 01/09/2020 | |
| 6 | Adaptor Type AB M12 to M120 | Ex db IIC Gb | P523616/6 | Intertek Italia S.p.A. | ITS16ATEX101336X | 01/09/2020 | |
| 7 | Adaptor Type AJ M16 to M75 | Ex db IIC Gb | P523616/7 | Intertek Italia S.p.A. | ITS16ATEX101336X | 01/09/2020 | |
| 8 | Reducer Type BJ M16 to M75 | Ex db IIC Gb | P523616/8 | Intertek Italia S.p.A. | ITS16ATEX101336X | 01/09/2020 | |

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the Intertek Italia S.p.A. Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.

3) Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-

- (a) Name of the manufacturer
- (b) Name and number by which the equipment is identified.
- (c) Number & date of the test report of the Intertek Italia S.p.A. applicable to the equipment.
- (d) Equipment reference number of this letter by which use of apparatus is approved.
- (e) Protection level.

4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the Intertek Italia S.p.A. Test report and is identical with the one tested and certified at Intertek Italia S.p.A. shall be furnished with each equipment.

5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by Intertek Italia S.p.A. in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.

6) The After sales service and maintenance of subject equipment shall be looked after by your representative MTL Instruments Private Limited, 3, Old Mahabalipuram Road, Sholinganallur, Chennai 600119

Conditions of the Approval:-

Ex eb IIC Gb MARKED EQUIPMENT APPROVED FOR ZONE-2 ONLY.

This approval also covers the permissible variations as approved under the Intertek Italia S.p.A. test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.

The Approval is Valid upto **31/12/2025**

Yours faithfully,

(K Srinivasa Rao)
Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, South Circle Office, CHENNAI
2. MTL Instruments Private Limited, 3, Old Mahabalipuram Road, Sholinganallur, Chennai 600119

for Chief Controller of Explosives
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

This is System Generated document. Signature is not required.

Disclaimer : This page gives the latest action taken by this organization on your application. This page is made available for the information of concerned applicant/licensee only. All efforts have been made to secure this information. However, PESO will not be responsible for any misuse of the information by unauthorized persons including the hackers.