

- > Backlit text and graphics with dimming control
- > Audible and visual alarms
- > Custom made text



11917E00



www.stahl.de



E2

Applications

- Decklight control panel
- Helideck control panel
- Pump control panel
- General control panel
- Floodlight control panel
- Heating system control panel
- Status panel

Selection Table

Version	Description	Order number
Operator panel TEF 4500	6 columns (45 available buttons)	TEF4500716
	3 columns (21 available buttons)	TEF4500713
	4 columns (29 available buttons)	TEF4500714
	5 columns (37 available buttons)	TEF4500715
Lexan foil TEF 4500	6 columns (45 available buttons)	TEF4500816
	7 columns (53 available buttons)	TEF4500817
	3 columns (21 available buttons)	TEF4500813
	4 columns (29 available buttons)	TEF4500814
	5 columns (37 available buttons)	TEF4500815

Note Prior to delivery of a Lexan foil, an exact definition of button text and non-used is required.

Technical Data

Electrical data

Supply voltage	18 ... 32 V DC
Interface	RS - 485. Cable impedance 100 ... 250 Ω. End resistors shall not be used.

WebCode T4500A

Commander Utility

TEF 4500



Technical Data


Ambient conditions

Operating temperature range | + 5 ... + 70 °C


Mechanical data

Degree of Protection | IP20 (IP23)
 Material | Black anodised aluminium frame
 Durable lexan front with reverse printed / engraved graphics.
 Moulded plastic buttons with integrated green and red LED
 Dimensions | See dimensional drawings

Dimensional Drawings (All Dimensions in mm) - Subject to Alterations



11918E00



Version	A	B
3 Columns	180	205
4 Columns	220	205
5 Columns	260	205
6 Columns	300	205
7 Columns	340	205

11791E00

Cutout

We reserve the right to make alterations to the technical data, dimensions, weights, designs and products available without notice. The illustrations cannot be considered binding.

Commander Utility
TEF 4500



E2

Commander Utility
TEF 4500



Commander Utility
TEF 4500



E2

Commander Utility
TEF 4500



Commander Utility
TEF 4500



E2

Commander Utility
TEF 4500



Commander Utility
TEF 4500



E2

Commander Utility
TEF 4500

